

# DANBY

**\*\*\* DANBY does not stock screws – this need to be purchased from a local hardware store\*\*\***

## **WASHERS:**

**UNIVERSAL QUICK CONNECT FOR ALL WASHERS – DB-99.63**

**UNIVERSAL FAUCET ADAPTERS FOR ALL WASHERS – DB-PSB2337-1**

**CANNOT GET WHOLE DOORS THEY ARE ALL INDIVIDUAL PIECES**

## **DWM99W:**

- drain hose – 420.2.22
- noise proof plate – 99.54
- Lid w/hinges (need all the following parts)
  - o front ½ lid – 99.06
  - o rear ½ lid – 99.08
  - o spring / hinge – 99.10
- shaft on back of drum (can't get alone) – 617824

## **DTT420W:**

- filter frame/rack – 99.103

## **DMW799BL:**

- Fuse – HMA-15A
- Wave filter board – 799.C04

## **DWM5500W:**

- shaft on the back of inner drum (needs to buy the inner drum) – 617824

## **DWM5500W1:**

- top switch 667486
- bottom switch – 667487
- # 62 – spring retainer – it comes as one piece with washer ring – 553093

## **DWM99W:**

- Quick connect assembly – 99.63

## **-DRYERS:**

**DCD5505W/-1: (This is the only dryer that Danby manufactured)**

- drive belt – 606532
- start switch – 657162

- blower fan/ventilating fan – 660222
- program selector/timer – 609862
- tubular heater/element – 616647
- stacking kit – would need 4 of 619601 (rubber suction pads)
- hinge clips - 660139 Fill hose – 99.62

## **MINI REFRIGERATORS:**

### **DCR059WE:**

- item number for line 23 Drip Tray is 1.1.054.23

### **DCR110BLP:**

- flap that allows access to freezer – 40.00.14 is NLA

## **UNIVERSAL RELAY SWITCH (ALL REFRIGERATORS) – 2121.50**

### **DCR084:**

- full-sized fresh food shelf – 34.10B

### **DCR084:**

- Freezer door – 34.12

### **DCR084W:**

- freezer door – 34.12 (evaporator door)

### **DBC514BLS:**

- child safety lock key – 513key

### **DCR101W:**

- ALL PARTS ARE **NO LONGER AVAILABLE**

### **DCR122BL:**

- Discontinued 10 years ago – parts are **NO LONGER AVAILABLE**

### **DCR124BLS:**

- discontinued 10 years ago – parts are **NO LONGER AVAILABLE**

### **DCR158W:**

- door handle – 90002-032

### **DCR120BLWEY:**

- Discontinued 8 years ago – parts are **NO LONGER AVAILABLE**

### **DCR432BL:**

- door gasket – 482.4BL

**DCR122BL:**

- crisper shelf – 122.00.8
- Full shelf – 122.00.9
- Split shelf - 122.009A

**MINI REFRIGERATORS CONT:****DCR080BLWEY-7:**

- thermostat – there was a change of the thermostat about 5 yrs ago, if the original thermostat is still in the unit they now will need to replace both the **thermostat – 432.15** and the **thermostat knob – 432.13**

-

**DCR34W:**

- **Overload protector – 99352.13** replaces 432.44 and 432.45 overload and Relay

**DCR34BL:**

- **bottom hinge in white – 432.17**
- **bottom hinge in black – 310.05**

**DAR440BL**

- **black door gasket – 432.4G**
- **white door gasket – 432.4LG**

**DCR412BL**

- **Black door gasket – 432.4G**
- **White door gasket – 432.4LG**

**DCR158WEY**

- Thermostat – 4-30733-006

**DCR40WE:**

- Evaporator door – 40.00.14 – NLA

**DAR482BLS:**

- Flat door panel instead of door bins – 445.01

**DCR42W:**

- Thermostat – 120.00.15 – NLA

**KEGRATORS:**

Coupler/taps can be ordered thru: [www.bannerbeer.com](http://www.bannerbeer.com)

When a service provider is calling for a PC board for model DBC2760 they need to request the EXACT model as there are 2 the first production and a dash 1 production. It will make a difference in the part that they require.

The date codes we are talking about are below **090909** has a date code of September 2009 so all units with a serial number before 090908 (first 6 digits of the serial number) should require one specific part number and all units with a date code of 090909 and later (090910 plus)

**DISCONTINUED---UNIVERSAL CLEANING KIT FOR KEGARATORS (INCLUDES BRUSHES AND WRENCH TOHELP REMOVE FAUCET FROM THE TOWER ASSEMBLY) – 245NK1**

**\*\*\*\*\*New Part Number for Cleaning Solution is CLEANINGKIT.\*\*\*\*\***

**UNIVERSAL CLEANING SOLUTION (REFILLS- ENOUGH FOR 4 CLEANINGS) (should be cleaned every 4 weeks or between kegs, which ever comes first) – 445.5572- includes cleaning solution (enough for 4 cleanings), mixing bottle, wire brush (for beer line) and instructions for use.**

**Top plug/cover beer cover (for models DKC445, 644, 645 & 586) – 445.31  
\*\*\*Per Danby the DKC644 & DKC645 are the same units, just different production times\*\*\***

**ALL DKC MODELS USE PART # 3001 FOR THE COUPLER BOTTOM SEAL**

#### **DKC645BLS:**

- start relay (ptc starter) – 64643B
- chrome faucet – DTF500
- beer dispensing tower – DTD650
- Beer line – DTD640 – part of draft tower(can get at local deer distributor)(standard 5 foot long 5/16 beer line.)
- faucet handle – 7406K2
- PCB board – 644.26-6 (this is the board in the bottom by the compressor)
- Gasket/seal/oring for the tap – DTD300 (comes with coupler) **(the washers are not sold separately from any part)**
- Connecting hose/tube – 644.55
- Regulator comes in rebuild kit – dtr1002
- Faucet lock with key – 7703- this fits all keg coolers
- Repair kit – 645.05-6-kit it includes (644.05-display board), (644.26-6 – relay board), (644.04- touchpad)
- Black rubber washer – 6211

#### **KEGARATORS CONT:**

#### **DKC644BLS:**

**\*\*\*the inside fan is no longer used can be left unplugged. If it is a unit with a condenser fan motor underneath, the condenser fan would have to be wired in with the compressor.\*\*\***

- front casters – 445.68
- rear casters – 445.69
- Thermostat (this is a digital machine the following parts work together to perform the control function):
  - o touchpad – 644.04
  - o display board – 644.05
  - o pcb board – 644.26-6
  - o sensor – 610.14

**DKC445BL:**

- chrome faucet – DTF500
- pressure regulator – GR1002RH – supersedes to DB-4100
- beer hose connects to handle to tap – 1011-1C/BS – (tower)
- quick connect locking bayonet(collar) - NLA

-

**DKC445BLS:**

- Tower with spout – DTD650
- Regulator – DNB 4100

**DKC646BLS:**

- gold/brass bolt connected to handle (part of Chrome handle) – DTF500
- Tower with beer line (no faucet) – DTD640
- Faucet – DTF500
- Faucet Handle – 7406K2

**DKC586BL:**

- faucet handle – 7406K2

**DKC586BL:**

- Faucet – DTF500

**DBD5L – If problem arises it would be exchange warranty**

- Heineken adapter – YA0211A
- Clamp for tubes – YF00912
- Liquid Tubes – YG0064
- Liquid Tubes Stopper – YJ0123

**WINE COOLERS:**

\*\*\*Do not have a wine cooler w/model # DWC2771\*\*\*\*\*

\*\*\*if you need a door gasket need to order the door comes as an assembly\*\*\*\*\*

\*\*\*Per Danby for all dual evaporator units use DRIER FILTER # D109\*\*\*\*\*

**Wine cooler KEY: DB-513KEY**

- fits the following models:

- DWC166, 2121,2727,276,512,513,516,518,54

**DWC512BL1 (same as DWC512BL):**

- Condenser motor – JG50DQ-10

**DWC513BLS:**

- door gasket (needs to order whole door) – DG23-13.2
- control board – DG3-1
- upper section sensor – DG8-5
- lower section sensor – DG8-3
- defrost sensor – DG8-4
- condenser fan – JG50DQ-10
- upper section fan/ptc heater fan – JG32DQ-02
- middle front fan – JG32DQ-03
- middle back fan – JG32DQ-04
- upper left hinge assy – JG50.01-13-L
- lower left hinge assy – JG50.01-14-L
- evaporator motor – JG50DQ-10

**DWC513BLS-1:**

- condenser fan motor – JG50DQ-10
- evaporator fan motor – DG7-4

**DWC612BLP:**

- PCB board – 610-32
- Display board – 610.09

**DWC620/DWC620PL-SC:**

- outside fan assembly – STD-F1
- inside fan assembly – STD-F2

-

**DWC1534BLS:**

- Evap motor – DG7-23
- water tank – (humidity box) – DG13-1.1

**WINE COOLERS CONT:**

**DWC283BL(S) (same as DWC283BLS-1):**

- compressor – 120.34.27
- thermostat (there are 3 digit thermistors in the unit)
  - upper section sensor (error code E7 & E8) – DG8-5
  - lower section sensor (error code E1 & E2) – DG8-3
  - defrost sensor (error code E3 & E4) – DG8-4
  - drip pan on back of LH side – JG32.01-20

**DBC2760BLS:**

- compressor (needs to call DANBY directly) – DG1.30AE1330Y

**DBC128BLS:**

- light bulb – 310.02D
- suction lube sleeve – 310.24
- compressor – 310.27
- overload protector – 310.28
- ptc starter – 310.29
- ptc cover – 310.30
- clamp – 310.31
- dryer – 310.32
- evaporator – 310.33
- hinge cover – 310.36

**DBC514BLS:**

- upper left hinge – JG50.01-13-L
- lower left hinge – JG50.01-14-L
- condenser fan – JG32DQ-02 or DB-7-3.2
- drier filter – D109

**DWC2121(bls):**

- left door – DG23-1
- compressor – DG1-9
- evaporator – DG12-16
- thermostat – doesn't have on. This is a digital machine needs the following:
  - 2 sensors – DG8-6
  - Control/PCB board – DG3-45

**DWC1534BLS:**

- key – 513KEY

**WINE COOLERS CONT:**

**DWC2727:**

- left door – DG23-1

- sensor (thermostat) – DG8-6
- compressor (motor) – DG1-30
- evaporator fan – DG7-3
- condenser fan – DG7-23

**DWC166:**

- key – 513KEY

**WWC287BLS:**

- key – 513KEY

**DWC3509EBLS:**

- Top Door Hinge – WBC-127.11

**DWC310BL:**

- **Door gasket – 310.01A (door gasket may need sometime to relax to form into place, this can be done faster by warming the gasket with a hair dryer and gently squeezing the gasket then shut the door and leave shut for at least 4-6 hours so that the gasket can form itself into its new position.)**

**DWC518BLS:**

- Lock arm cover- DG14-20

**DISHWASHERS:**

- SOFTENING SALT – if customer is NOT on city water (already softened).**
- if they have hard water needs to contact FACTORY DIRECT @ 888-877-1704 ask for dishwasher softening salt.**

**UNIVERSAL FAUCET ADAPTER – PSB2337-1**

- If the tap adapter doesn't fit on faucet, then the customer needs to take the brand name of the faucet and the tap adapter to a hardware store for an adapter to make it fit.**

**UNIVERSAL DRAIN HOSE – 688030090046**

**UNIVERSAL QUICK CONNECT (COUPLER) – 178.398**

**DDW396W:**

- inner door panel – **NLA**
- basket – **NLA**
- inlet hose – 166.398
- drain pump – **NLA**
- circulation pump – 396.53



**DDW399W:(parts are interchangeable with ddw398 – the only difference between the two models is the door, 399 has a window & 398 doesn't)**

- dishrack – 173.398
- lower spray arm – 11.398BKIT
- inner glass – inner door assembly – 76.399

**DDW1802:**

- rollers for upper rack (comes with upper rack) – 1802.119

**DDW1802W:**

- hose that feeds the upper spray arm (fill hose) – 1802.1

**DDW1802W-3:**

- timer (need serial #; units produced prior to 6/2007 it is nla)
- timer – 1802.86A (05/2008)
- feeding dispenser assy (upper rack) – 1802.5
- 

**DDW1805:**

- castors – 1805.134
- Rinse aide cap – 1802.103

**DISHWASHERS CONT:**

**DDW1805W:**

- softener container (tank/salt consumption container) – 1802.32
- softener gasket – 1802.31
- softener cap assy – 1802.29
- water softener valve – none on this unit
- wire nuts to connect power cord – can only get at a local hardware store.

**DDW1805W-3:**

- drain hose – 1805.35
- inlet hose – 1805.40
- conversion kit to make permanent – can't be converted

**DDW496W:**

- bottom drain hose – 688030090046
- timer/switch behind large knob at bottom of control panel – 688050240001
- inner door assembly with window already installed – 688010870005

**DDW396W2 –**

- Door assembly- 396.44 inner door – NLA
- inlet valve – 396.51

**DDW497W:**

- Drain Pump & Motor – 678050250007

**REFRIGERATORS:**

**DPR's propane refrigerators you need serial # for lookups and researches on functional parts**

**\*\*\*\*Door gaskets are part of the door assembly – would need to order door\*\*\*\***

**\*\*\* No external drip tray to sit under unit, only has what comes with the unit\*\*\*\***

**\*\*\*For all refrigerators door reversals – the top & center hinges just need switched but you need to order the bottom left hinge\*\*\*\***

Invalid model #'s: D900NY, DFF8902W

**DPR2262W:**

- thermocouple – 00-6011-70-5
- main control valve (need serial #) – old – 00-2015-07-2 (before JB61)
- main control valve (need serial #) – new – 32-6053-90-2 (after JB61)
- main burner head – 23-1113-96-7

**DPR2260-2:**

- injector/orifice – 00-6011-66-7
- electric igniter (ser# before JC5025811) – 32-6060-07-8
- electric igniter (ser# after JC5025811) – 32-6048-09-3
- 2 baffle choke assembly – deflector/strangler – 27-0275-00-1
- thermostat (ser# JB8175141) – 32-6053-90-2
- crisper drawer – 00-4157-06-0
- crisper cover – 00-8002-08-8
- crisper drawer – 00-4157-06-0
- crisper cover – 00-8002-08-8
- thermocouple – 00-6011-70-5
- orifice – 00-6011-66-7
- gas/burner tube – 23-1140-00-0
- injector housing – 00-6011-37-3
- piezo igniter – 32-6060-007-8

**DCR118: - Parts no longer available**

**DPR2260:**

- left middle hinge – 23-1015-21-3

- right middle hinge – 23-1159-21-5

## **REFRIGERATORS CONT:**

### **DPR2260W:**

- The injector connects directly into the gas line, on the other side for the connection to the main gas burner is the **injector housing – db-00-6011-37-3**. In the schematic the injector is #212, the housing is #213 and the gas line is #223.
- Does require reversing hinges

### **DPR2260-3:**

- thermocouple – 00-6011-70-5

### **DPR2262W:**

- injector/orifice – 00-6011-66-7; for high altitude just change the pressure at the regulator
- flue/chimney brush – 00-08003-04-1

### **DPR2262W-6:**

- gas shut off valve/register – 23-1558-00-4
- chimney brush – 00-8003-04-1
- thermostat controls (ser# before JB6195828) – 00-2015-07-2
- thermostat controls (ser# after JB6195828) – 32-6053-90-2
- Compressor – none it is a ammonia absorption system

### **DAR048W (same as DAR0488W):**

- fridge wire shelf – 0488W.23

### **DAR195BL:**

- cold/temp control (thermostat) – 172.4
- evaporator – We cannot get this part. Needs to be ordered by a technician.

### **DAR259BL (this is a 2.5 cubic foot fridge)**

### **DAR452BL:**

- thermostat – 482.17
- bottom hinge bushing – 432.20C

### **DAR34W0:**

- foot at bottom cabinet – 432.21
- leveling leg – 440.20

### **DAR482W:**

- door gasket – 482.4G

## **REFRIGERATORS CON'T:**

### **DAR482BLS (the -# is not needed only represents generation):**

- thermostat/temperature sensor -482.17
- door – 482.52SS
- bottom pin hinge – 432.17 (part of the hinge)
- bottom hinge screw – 432.20A
- bottom hinge washer – 432.20B

### **DAR483:**

- thermostat control board (constit of 2 pieces described below):
  - o display control board (front & displays temp readings) – 483.06
  - o power relay board (is in the back of unit & relays power between the display board and compressor) – 483.09

### **DAR483BL:**

- Touch key Pad – 644.04 or 604.03(BL)

### **DAR604W:**

- control board – 604.4

### **DAR604BLS:**

- crisper drawer – 604.23
- ff door inserts – 604.01(BLS) – (these are part of the door assembly)

### **D9800:**

- unit discontinued 7-8 years ago – parts are **NLA**

### **D9801W:**

- Door gasket – **D9800.29- is NLA**

### **D9800W:**

- little square piece on fzf door to keep closed ½”x1/2”/ BUMPER – **NLA**
- wire spring (provides tension to keep door closed) – 9800.17

### **D9504W:**

- complete door – 543128
- Ice maker – is not made to accept ice maker
- Door handle – 597275

### **D9604W:**

- Heat exchanger – 221C8051G002

### **D715:**

- cold control/thermostat – 60478

**D721:**

- thermostat- 521454

-

**REFRIGERATORS CONT:**

**D730-5Y:**

- thermostat – 381979

- ff door gasket – 522077

**D730-7Y:**

- cold control/thermostat – 596215

**D740 & W:**

- both door handles (side mount) – 90002-032

**DFE9400W:**

- unit discontinued 8 years ago – parts are NLA

**DFE8100: (unit discontinued – parts NLA)**

- bottom door bar (can try per danby) – 63-20164B

- large door shelf (can try per danby) – 63-20165C

**DFE8100W:**

- veg. pan assembly – 221C7203G001

**DFE8803: (per Danby same unit as DFE8802, but different generation)**

- start relay – 2121.50

- defrost heater – 221C7058P001

**DFE8803W/0:**

- evaporator fan motor – DFE1144.29

- evaporator fan motor & blade – 9100.29

- evaporator fan cover – 200D2778P004

- door shelves– 200D2698P001 (all the door shelves are the same)

**DFE1144W:**

- fresh food door gasket (dff14403c(w)) – DFE9100.02.C

**DFE8802W:**

- evaporator fan motor – DFE1144.29

- top hinge assm – 355B1532G001

- center hinge assy – 355B1531G001

- Bottom hinge Assy – 355B1530G001

**DFE8801(W):**

- freezer door gasket – DFF9100.01.B
- fresh food door gasket – DFF9100.02.C

--

### **REFRIGERATORS CONT:**

#### **DCF550(W):**

- Hinge – 401.26A

#### **DFF9400**

- hinge – NLA

#### **DCR120WE:**

- Evaporator door – NLA

#### **DCR120BLWEY:**

- Evaporator Door – 120.00.14 – NLA

#### **DWC3509EBLS:**

- Top Hinge – WBC127.08 – doesn't have hinge just a pin

#### **DMR17061WEY:**

- Thermostat – 4-30733-012 – part of control

#### **DCR412BL:**

- Door gasket – 432.4(G)

### **DEHUMIDIFIER:**

**\*\*\*Drain hose is only 7 feet – NO EXTENSIONS\*\*\***

**We do not provide drain hoses for the 25, 30 and 40 pint dehumidifiers. They would need a ½ i. d. hose. Sold by the foot at any hardware store.**

#### **DDR4009EE:**

- drain hose – customer needs to purchase a 3-4 inch internal diameter corrugated hose that is 7 feet maximum length @ local hardware store.

#### **DDR1899BLS:**

- Control board – 674001000456

#### **DDR2504:**

- little piece in the tank that breaks contact when tank is full. One end has a ball and the other end has an arm/fin – float assembly/ball – 2112619138
- float switch (breaks contact) – 2242619013

#### **DDR3009EE:**

- continuous drain – standard ¾ inch internal diameter hose that can be purchased at their local hardware store, maximum length of the hose should

be 7 feet

**DDR557HE:**

- drain cap – DG12-50

**DDR5009REE:**

- Round black fan – D5304-130-A-22

**DDR583R:**

- Castor – 1.3.01.48

**DDR586R:**

- Float – 1.4.02.17 – discontinued

**DDR2510E:**

- External drain hose – need ½ i.d. hose. Sold at any hardware store.

**DDR7009REE:**

- Control board – D2514-570 – power supply board

**DDR606:**

- Float in the tank – 2112619038

**DDR1506:**

- Part within the collection bucket with 2 pieces on top – 211262A002 – tank

**FREEZER:**

**DUF419WEY:**

- door seal – 90000-026

**DUF419W:**

- door handle – 90002-032

**DCF1518WE:**

- thermostat – 4-30733-001

**DCF401W:**

- stackable basket for lower part of unit – none available (only has the hanging baskets)

**D9504:**

- freezer door – 613269

**D9504W:**

- complete door – 543128

**FU20:** This is a Woods built unit, needs to contact Woods directly for this

**D1052W3:**

- evap door – D1052.14 & D1052.12

**DUF1656WEY:**

- Gasket Kit – 90000-043

**AIR CONDITIONERS:**

**\*\*\*\* NO LONGER EXHAUST HOSE DUE TO EXTENDING THE HOSE CAUSES OVERHEATING. \*\*\*\***

**\*\*\*UNIVERSAL DEMINERALIZING CARTRIDGE FOR DPAC MODELS –  
- DB-6020.64**

**Trim and accessory components are NLA and no subs on SERIES 30, 31, 60, 61**

**DPAC12031:**

- intake/exhaust hose – 1.02.56.009(427C)

**DPAC7008:**

- power cord – DPACPOWERCORD (universal for all dpac's up to 9000 btu)  
- window slider with hole – 201125090213

**DPAC120068:**

- power cord – 1.01.13.007(UL)  
- exhaust hose – 1.02.56.009(427C)

**DPAC120061:**

window kit (referred to the 2 main pieces of the window exhaust kit, the third piece is to extend to the right height for patio door)

- window exhaust slider (1<sup>st</sup> piece) – 1.02.54.017(6U)  
- adjustable slider (2<sup>nd</sup> piece) – 1.02.54.016(6U)  
- patio door extension – 1.02.54.018(6U)

**DPAC8099:**

- garden hose/direct drain hose (this connects by the internal tank on the side of the unit) – 1-33178  
- back connector (male quick connect) for external tank – 60.25Y

**DPAC8020:**

- adjustable window slider kit (3 pieces – patio kit)  
○ 59.7597 (this piece has exhaust holes)  
○ 58.7597 (solid piece – use 2 if patio door will be used)



- external tank (grey) comes w/t shaped female receptacle – 2112509247
- external tank (black) comes w/t shaped female receptacle – 58.25YA

**DPAC10031:**

- male quick connect – 60.25Y (UNIVERSAL FOR ALL A/C'S)
- female quick connect – 61.25Y (UNIVERSAL FOR ALL A/C'S)
- touchpad sticker – 1.3.05.01
- casters – 1.3.01.47
- condenser fan blade – 1.02.57.008
- filter – 1.3.01.12

**AIR CONDITIONERS CONT:**

**DPAC7099:**

- coupler w/female ends on both (hose connector) – A5815-210-P-A5

**DPAC7599-2: DPAC7599- Is the same as DPAC8020**

- male quick connect – 60.25Y – threads into port on the external bucket
- Female quick connect – 61.25y – on the machine

**DPAC7599-4:**

- float (float cover) – 2112500050

**DPAC10061:**

- center post for louver/vertical linkage – 1.02.51.005BL

**DPAC7820:**

- male quick connect – 60.25Y (screws into external tank)
- female quick connect -61.25Y (has a metal clip & attaches to the back of the unit)
- hose with direct drain adapter inside the unit next to external tank  
1-33178

**DPAC12010H:**

- air filter – A7301-230-A-A5
- hose – A6200-280
- power cord – A3700-940
- deicer sensor – 1.2.5.12
- exhaust slider (holes) – A5700-370-V-A5
- adjustable slider (solid) – A5700-390-V-A5

**DPAC8399:**

- hose inside internal bucket – 49.7297
- Drain hose connector – 1-33178

**DPAC9031:**

- Fitting for big water tank male side of bucket – 60.25y
- Fitting for big water tank female side on the machine – 59.25y
- Port on the bucket – 2112509240 – plastic washer & gray plastic piece
- Condenser Fan Motor – 1.3.04.01.001
- Condenser Fan Blade – 1.3.01.10

### **DAC5110M:**

- **Filter** – 201121190007

### **MISC.**

#### **D2000W: (compact kitchen/range/ref.)**

- control knob/heat switch –1-23391

### **ICEMAKER:**

\*\*\*\*\* part # **DB-DIM15.14** – use new # **DB-DIMKIT09**\*\*\*\*\*

#### **DIM1524W:**

- the water tray, ice tray, hinges and sync-motor must now be replaced as an assembly:
- ice shovel (ice tray) – DIM15.14-1
- left hinge – DIM15.12-1L
- right hinge – DIM15.12-1R
- water bucket (water tray) – DIM15.13-1
- synchro-motor – DIM15.39-1
- pump – DIM15.55-1 (if model# has no -# would need to order the brackets also)
- updated pump brackets – 15.55 (this is for models w/out the -#)
- motor – unit after March 09 use DIM15.13-1
- Hinges to make new parts work (DIM15.14-1)- DIM15.12-1R & DIM15.12-1L
- 

**DIM15.50** – drain plug – DIM15.51 – white washer with small plug on it

### **MICROWAVES:**

#### **DMW119SS:**

- glass tray – 119.24

#### **DMW799:**

- fuse – 788FUSE or HMA-15A (either will work per danby)

#### **DMW753:**

- touch pad (control board & overlay membrane) – 753.20BL

#### **DMW1153W:**

- glass plate – 1145.P34

**DMW820W/1:**

- clip to hold waive guide cover – 4078502031 (locking button)

**DMW799BL:**

- glass tray – 758.p12

**ELECTRIC RANGES:**

**\*\*\*\* Per Danby these are new and right now customer would need to contact warranty @ 800-263-2629**

**DER2009E: currently still under warranty**

**GAS RANGES:**

**\*\*\*\* Per Danby these are new and right now customer would need to contact warranty @ 800-263-2629**

**\*\*\*\*\* Gas Range models that end in LP are set up for LP ONLY!!!\*\*\*\*\***

**Other models can be converted with part # 7552: Nat to LP**

**DR2009WGLP: currently still under warranty**

**DR399BLSGLP:**

- clock/timer assembly – 914298

- broiler panel seal – 924322

**DGR471WP1:**

- left spark igniter – 1801B166

- right spark igniter – 1801B165

- oven igniter – 1801B169

-

**DR3009WGLP:**

**Broiler Pan – 294422RSC – *please note: the Broiler pan does not have a grid assembly, the owners manual tells the customer to use one of the oven racks to hold it while using the broiler.***

-